




Add : 河北省邯郸市魏县经济开发区创业大街5号
Tel : 0310-5209708
Http : www.oushangsujiao.com

USHANG®

河北欧尚塑胶制品有限公司
Hebei OUSHANG plastic products Co., Ltd.

安全、环保与健康

SAFETY, ENVIRONMENTAL PROTECTION AND HEALTH



“安全、环保与健康”现代社会人们以追求低碳的生活、享受绿色环保的产品、呼吸新鲜的空气、开心快乐的健康运动为最重要的需求。欧尚公司创立之初就以“环保、健康”定位，用欧尚的“心”去经营公司、产品、客户及市场，希望为社会的安全、环保及健康贡献出一份坚定的力量。

让环保赞美生命





数年的商场奋战
我们更专注于
健康与环保

**Health and
Environmental
Protection**

目录

- 我们是谁
- 客户为先 正直诚信
- 我们的服务内容
- 我们的产品
- 产品颜色
- 我们的承诺



关于我们

河北欧尚塑胶制品有限公司，地处历史文化悠久的燕赵古都—河北邯郸，京港澳高速、大广高速、青兰高速贯穿东南西北，邯黄铁路、京九铁路、高铁、机场应有尽有，交通便利，物流可达全国各地。我公司是一家自主研发、生产、销售体育场地材料的公司，自成立以来不断发展与创新，为体育行业提供环保、安全、新颖独特的产品，为中国体育行业的发展而添砖加瓦。

河北欧尚塑胶制品有限公司的生产工厂位于梨乡水城—魏县，现拥有厂房2万平方米，是集科研、生产、销售、施工于一体的塑胶材料生产制造、塑胶场地设计施工的专业企业，现有员工300名，科研人员50名，年产量50000余吨，本公司主要生产与销售幼儿园安全地垫、复合锁扣地垫、室外环保地垫、健身房力量区地垫、复合卡扣地垫、工字砖地垫、私教区地垫、卷材EPDM颗粒、胶水、硅PU等，可以按照客户需要定制。一流的销售团队，技术精湛、经验丰富的施工人员，确保保质保量、按时完成每一项工程。

我司产品已通过国家权威机构质量检测，符合国家、欧盟要求环保标准，河北欧尚塑胶制品有限公司凭着精湛工艺技术和产品质量，产品广泛应用于工矿企业、学校、医院、幼儿园、体育场、健身房、小区、写字楼、部队、武警靶场等。我司产品销售覆盖全国各地，凭借优质的原材料、过硬的技术、精湛的施工质量，以及完善的售后服务，产品已出口至欧美、韩国、日本、澳大利亚、泰国、印度等十几个国家和地区，获得各地客户的广泛认可。

河北欧尚塑胶制品有限公司以真诚合作，健康环保为核心，注重品质，以高品质服务为根本，以诚实守信为理念，以先进的技术为指导，不断创新，全力做到让客户满意，用优异的产品质量，拳拳的责任心和对每一个用户的关爱之情来回馈社会。


一次合作终生朋友，热烈欢迎广大新老客户前来指导洽谈合作！

Hebei auchang plastic products Co., Ltd. is located in Handan, the ancient capital of Yanzhao with a long history and culture. Beijing Hong Kong Macao expressway, Daguang Expressway and Qinglan Expressway run through the southeast and northwest. There are Handan Huanghai railway, Jinglu railway, high-speed railway and airport. The transportation is convenient and the logistics can reach all parts of the country. Our company is an independent research and development, production and sales of sports venue materials company, since its inception, continuous development and innovation, for the sports industry to provide environmental protection, safety, novel and unique products, for the development of China's sports industry and contribute.

Hebei auchang plastic products Co., Ltd. is located in Shuicheng Weixian, Lixiang, with a plant of 20000 square meters. It is a professional enterprise integrating scientific research, production, sales and construction in the production and manufacture of plastic materials and the design and construction of plastic fields. It has 300 employees and 50 scientific research personnel, with an annual output of more than 50000 tons. The company mainly produces and sells kindergarten safety mats, composite lock floor mats, outdoor environmental protection floor mats, gym strength area mats, composite buckle floor mats, i-brick floor mats, private parish mats, coiled materials, EPDM particles, glue, silicon PU, etc., can be customized according to customer needs. First class sales team, skilled and experienced construction personnel, to ensure the quality and quantity of each project completed on time. Our company's products have passed the quality inspection of national authorities and meet the requirements of the state and EU environmental protection standards. Hebei auchang plastic products Sales Co., Ltd. is widely used in industrial and mining enterprises, schools, hospitals, kindergartens, sports grounds, gyms, residential areas, office buildings, troops, armed police shooting ranges, etc. Our products are sold all over the country. With high-quality raw materials, excellent technology, exquisite construction quality and perfect after-sales service, our products have been exported to more than ten countries and regions, such as Europe and America, South Korea, Japan, Australia, Thailand, India, etc., and have been widely recognized by customers all over the country.

Hebei Auchan plastic products Co., Ltd. takes sincere cooperation, health and environmental protection as the core, pays attention to quality, takes high-quality service as the foundation, takes honesty and trustworthiness as the concept, takes advanced technology as the guidance, makes continuous innovation, and makes every effort to satisfy customers, and returns the society with excellent product quality, strong sense of responsibility and care for every user.

A lifetime of cooperation friends, warmly welcome the new and old customers to come to guide and discuss cooperation!



客户为先

正直诚信

客户为先

尊重所有的客户，随时随地维护售后服务，积极主动的为客户解决问题，与客户交流过程中即使不是自己的责任，也不推卸责任，站在客户的立场思考问题，最终达到客户和公司满意。

正直诚信

做人德为先，正直是根本，保证公正、正义、诚实、坦诚、守信、敢于承担责任，勇于承担错误，客户反映问题，以工作做好、服务好客户和维护公司自身利益为己任，尊重自己尊重他人，尊重客观规律，尊重公司制度从而自爱强。

Customer first
Respect for all customers, anytime and anywhere maintenance after-sales service and actively to solve customer problems, communicate with customers, even if it is not their responsibility, not to shirk responsibility, standing in the position of customers think, and ultimately achieve satisfaction of customers and the company.
integrity
Life first, integrity is fundamental, to ensure fairness, justice, honesty, honest, trustworthy, dare to undertake the responsibility, the courage to bear the wrong, customers reflect the problems, to do a good job, good customer service and protecting the interests of the company mission,; respect for self, respect others, respect objective laws, respect for the company system to self love strong.



场地规划设计

合理的场地建设
给您更专业的场地规划

Reasonable site construction
To give you more professional site planning.



垫材定制安装

您的御用私人助理
满足您多方面需求

Your personal assistant
To meet your needs in many ways



售后服务及保障

欧尚橡胶地垫
给运动者健康完美的邂逅

Green earth rubber mat
A healthy and memorable stage for athletes



GYM SERIES


健身房系列

复合花颗粒地垫





复合地垫由面层卷材和底层的优质鞋底料加工而成，面层的卷材可定制成任何颜色，底层也可以做成不同厚度。

Composite floor mats are made of top-quality coils and bottom-layer soles, and the top-layer coils are customized to any size, color, the bottom can also be made of different thickness.



规格	尺寸	500x500mm, 1x1m
	厚度	15-50mm
	颜色	面层彩色或纯色等任何颜色均可定制
包装	木托盘，可根据客户要求	
检测认证	欧盟CE, EN71, REACH等	
产品特点	抗压防滑，耐磨耐冲击，吸音减震，安装、清洁简便，环保，可回收利用	
应用	健身房力量区，休闲娱乐中心，滑冰场，家庭，庭院等。	




LOCK SERIES


锁扣系列
泡棉锁扣地垫

锁扣地垫由橡胶卷材+发泡材料裁切而成，脚感舒适，安装拆卸方便，可循环使用。

Lock pad is made of rubber coil and foam material, feet feel comfortable, easy installation and disassembly, and can be used in circulation.

规 格	尺 寸	485x485mm, 985x985mm
	厚 度	10-20mm
	颜 色	彩点或纯色，各种颜色均可定制
包 装	木托盘，可根据客户要求	
检测认证	欧盟CE,EN71,REACH等	
产品特点	高密度，高缓冲性能，防滑耐磨，吸音减震，防静电 铺设，维护简便	
应 用	健身房，运动中心，体育场馆，家用跑步机，健身器械防震垫材， 工业用防护，生产车间等。	





COIL SERIES

纯色橡胶地垫

纯色橡胶地垫是一款代表性产品，有EPDM和SBR橡胶颗粒制成，主要有50*50cm和1m*1m两种尺寸，被广泛用于儿童游乐场、幼儿园、户外健身场所、庭院、公园等，是一款美观大方、用途广泛的产品，供选择的厚度、颜色也非常多。

当被铺在游乐场时，在减少孩子跌倒时的损伤、让孩子自由玩耍的同时，也让整个游乐场更加美观鲜艳。

The pure color rubber floor mat is a representative product made of EPDM and SBR rubber particles. It is mainly 50 * 50cm and 1M * 1M in size and is widely used in children's playgrounds, kindergartens, outdoor fitness venues, courtyards, parks, etc.. It is a beautiful and versatile product, and it has a lot of thickness and color for choice.

When laid on the playground, it also makes the entire playground more beautiful and colorful while reducing the damage when the child falls and allowing the child to play freely.

规格	500x500mm, 1x1m
厚度	10-50mm
颜色	可根据要求定制
检测认证	欧盟EE, EN71, REACH等
产品特点	防滑耐磨，吸音减震，耐候性强，不易褪色老化，环保无污染
应用	健身房，打靶场，休闲娱乐中心，运动场所，游乐场，学校，公园等。



橡胶卷材由SBR橡胶颗粒和EPDM颗粒制成，拥有丰富的色彩选择和搭配，可根据要求裁切成任意尺寸和比例。图案可根据场地单独设计。

Rubber rolls are made of SBR rubber particles and EPDM particles. They are rich in color selection and collocation. They can be cut into any size and proportion according to requirements. Patterns can be designed separately according to the venue.

规格	厚度	3-12mm
	宽度	1-1.25m, 如1m, 1.2m
	长度	0-30m, 如10m, 20m
颜色	带彩点或纯色，可根据要求定制	
包装	用塑料薄膜缠绕后卷装，可根据客户要求	
检测认证	欧盟CE, EN71, REACH等	
产品特点	防滑耐磨，吸音减震，拉伸性能佳，使用寿命长，耐候性强，环保无污染，可回收利用	
应用	健身房私教区域，休闲娱乐中心，生产车间，家用地板瓷砖下，洗衣机下，滑雪场等。	





DAMPING AND SOUND INSULATION RUBBER COIL

减震隔音橡胶卷材

OS-W007



OS-W007减震隔音橡胶地板采用橡胶颗粒和聚氨酯粘合剂高温高压定型制作而成。在浮筑楼板构造中，能有效的降低撞击噪声和空气传播噪声。

OS-W007 damping and sound insulation rubber floor is made of rubber particles and polyurethane adhesive with high temperature and high pressure. In floating floor construction, it can effectively reduce impact noise and air borne noise.



规格	尺寸	8m/10m/12m-1.1m-1.3m
	厚度	3-15mm
	颜色	面层彩色或纯色等任何颜色均可定制
包装	木托盘，可根据客户要求	
检测认证	欧盟CE,EN71,REACH等	
产品特点	吸音减震，抗压防滑，耐磨耐冲击，安装、清洁简便，环保，可回收利用	
应用	酒店，商务楼，居民楼，录音室，娱乐会所等。	



SHOOTING RANGE

打靶场



环保胶丝收弹橡胶板



环保EPDM材料
收弹橡胶板

贴合发泡地板具有有良好的缓冲、抗震、隔热、防潮、阻燃、抗化学腐蚀等优点，且无毒、不吸水。经设计可加工成形，其防震性能优于聚苯乙烯（泡沫）等传统发泡材料，且符合环保要求，是出口产品的最佳选择。相对于防震包装可以切割、成型；因密度差异较大，还可以有更为广泛的用途。

The laminated foam floor has the advantages of good cushioning, earthquake resistance, heat insulation, moisture-proof, flame-retardant, chemical corrosion resistance, and is non-toxic and non absorbent. The product can be processed and shaped, and its shockproof performance is better than that of traditional foamed materials such as polystyrene (foam), and it meets the requirements of environmental protection. It is the best choice for export products. Compared with the shockproof packaging, it can be cut and shaped; because of the large difference in density, it can also be used more widely.

规 格	500x500mm, 1000x1000mm
厚 度	10-100mm
颜 色	可根据要求定制
检测认证	欧盟EE, EN71, REACH等
产品特点	产品抗压、耐冲击、摩擦系数大、有弹性、减震防滑、环保、颜色统一、可定制、防护性能强。
应 用	打靶场、武警部队

Instrument pad


器械垫



器械垫系列产品能够保护地面、平衡器械、可用作跑步机垫、瑜伽垫或康体训练垫等。

The equipment mat series products can protect the ground, balance equipment, and can be used as treadmill pad, yoga mat or fitness training pad.

规 格	尺 寸	100x200mm
	厚 度	2.5-10mm
	颜 色	彩点或纯色，各种颜色均可定制
包 装	木托盘，可根据客户要求	
检测认证	欧 盟CE,EN71,REACH等	
产品特点	高密度，高缓冲性能，防滑耐磨，吸音减震，防静电，有效保护地面，铺设，维护简便	
应 用	健身房，运动中心，体育场馆，家用跑步机，健身器械防震垫材，工业用防护，生产车间等。	



I-shaped rubber floor tile

工字型橡胶地砖



工字型橡胶地砖由两层不同密度的材料构成，彩色面层采用细胶粉或细胶丝并经过特殊工艺着色，底层则采用粗胶粉或胶粒、胶丝制成。该橡胶地垫克服了各种硬质地面和地砖的缺点，能让使用者在行走和活动时始终处于安全舒适的状态，脚感舒适，身心放松。其特点是防滑，减震，耐磨，抗静电，不返光，疏水性、耐候性好，抗老化，寿命长。

The I-shaped rubber floor tile is composed of two layers of materials with different densities. The color surface layer is made of fine rubber powder or fine rubber wire and colored by special process, while the bottom layer is made of coarse rubber powder, rubber particles and rubber wire. The rubber floor mat overcomes the shortcomings of various hard ground and floor tiles, and enables users to always be in a safe and comfortable state when walking and moving, with comfortable feet and relaxed body and mind. It features anti-skid, shock absorption, abrasion resistance, antistatic, no light return, good hydrophobicity, weatherability, anti-aging and long life.



规格	200-160mm
厚度	20-50mm
颜色	可根据要求定制
检测认证	欧盟EE,EN71, REACH等
产品特点	防滑耐磨，吸音减震，耐候性强，不易褪色老化，环保无污染
应用	休闲娱乐中心，运动场所，学校，公园，跑马场等。

Grooved rubber floor tile

凹槽型橡胶地砖


规格	500-500mm
厚度	40-50mm
颜色	可根据要求定制
检测认证	欧盟EE,EN71, REACH等
产品特点	防滑耐磨，吸音减震，耐候性强，不易褪色老化，环保无污染
应用	休闲娱乐中心，运动场所，学校，公园，跑马场等。





FIT FOAM FLOOR


贴合发泡地板



贴合发泡地板具有有良好的缓冲、抗震、隔热、防潮、阻燃、抗化学腐蚀等优点，且无毒、不吸水。经设计可加工成形，其防震性能优于聚苯乙烯（泡沫）等传统发泡材料，且符合环保要求，是出口产品的最佳选择。相对于防震包装可以切割、成型；因密度差异较大，还可以有更为广泛的用途。

The laminated foam floor has the advantages of good cushioning, earthquake resistance, heat insulation, moisture-proof, flame-retardant, chemical corrosion resistance, and is non-toxic and non absorbent. The product can be processed and shaped, and its shockproof performance is better than that of traditional foamed materials such as polystyrene (foam), and it meets the requirements of environmental protection. It is the best choice for export products. Compared with the shockproof packaging, it can be cut and shaped; because of the large difference in density, it can also be used more widely.

规格	500x500mm, 1000x1000mm
厚度	10-20mm
颜色	可根据要求定制
检测认证	欧盟EE, EN71, REACH等
产品特点	产品抗压, 耐冲击, 摩擦系数大、有弹性、减震防滑、防护性能强。
应用	健身房, 跆拳道馆, 家庭健身, 起居室, 老人房等。



产品介绍

EPDM颗粒是您铺设儿童游乐场、幼儿园的最佳选择。它的环保性、高弹性、耐磨性、耐候性、鲜艳丰富的色彩，让它风靡各地。

EPDM颗粒地面颜色柔和，多孔表层，防止刺眼阳光的反射，美观耐久，并可采用多色系搭配、设计成各种图形。不会因为紫外线、臭氧等影响褪色或粉化，长期保持鲜艳的色彩。它也可被用于田径跑道、体育场、公园路径等场所。

产品特点

高弹性、耐磨性、耐候性、抗紫外线和臭氧、防震、抗静电、环保无污染。

我们原材料供应商

科莱恩 迪爱生 巴斯夫 埃克森

Product introduction

EPDM granules are your best choice for laying children's playgrounds and kindergartens. Its environmental protection, high elasticity, wear resistance, weather resistance, bright and rich colors, so that it is popular everywhere.

EPDM particles have soft ground colors and porous surface surfaces to prevent the reflection of dazzling sunlight. They are beautiful and durable, and can be used in multi-color systems and designed into various graphics. It will not fade or powder because of ultraviolet rays, ozone, etc., and will maintain bright colors for a long time. It can also be used for track and field tracks, stadiums, park paths and other places.

Product characteristics

High elasticity, wear resistance, weather resistance, anti-ultraviolet and ozone, shockproof, anti-static, environmental protection and no pollution.

Our raw material supplier

Clane Di Ai Basf Exxon

SIMULATION SERIES

仿真系列

功能性草坪



规格	可根据您的要求定制
厚度	草高10mm, 15mm, 20mm
颜色	可根据要求定制
检测认证	欧盟CE,EN71, REACH等
产品特点	无异味、不变形、不褪色、透水性强、环保性强
应用	幼儿园操场, 球场铺设, 墙面装饰, 健身房雪橇草, 功能性草坪。

PRODUCT INTRODUCTION

河北欧尚塑胶制品有限公司 · 产品介绍


5厚单面凹发泡橡胶 减震垫板

解决住宅楼板噪音问题的专业隔音材料
一种新型环保材料


主要用于酒店、学校、医院、高级住宅、高层办公楼等有强噪音源产生重低频结构共振的地面隔声，特别适用于减少低频结构共振的地板或楼板隔音减振，建筑楼层、楼板、地板、地面、混凝土夹层、墙体等需要隔音降噪处理的地方。

产品特点

- ▶ 质轻、柔软、防潮、无毒
- ▶ 耐腐蚀、电绝缘、耐久
- ▶ 强度高、回弹性好
- ▶ 不吸水
- ▶ 隔声效果好



单面凹发泡橡胶减振垫(黑色)



▲ 单面凹发泡橡胶减振垫(花色)

5厚单面凹发泡橡胶减震垫板是一种建筑楼板减震隔音产品,采用天然橡胶发泡而成,单面圆形凹坑有利于增强隔声效果,又可节省材料。


产品规格

符合《08J931 建筑隔声与吸声构造》要求标准

品名	厚度	长度	宽度	颜色	空气声隔声量
单面凹发泡 橡胶减震垫板	5mm	12m	1.1m	黑色/花色	10dB
	8mm	10m	1.35m		12dB
	10mm	8m			14dB

《《 OS700橡胶隔声垫

OS700橡胶隔声垫,采用橡胶颗粒和聚氨酯粘合剂高温高压定型制作而成。在浮筑楼板构造中,能有效的降低撞击噪声和空气传播噪声。



产品应用

- 五星级酒店
- 医院
- 学校
- 工厂
- 高端住宅小区

产品规格

品名	厚度	长度	宽度	颜色	空气声隔声量
OS700	5mm	12m	1.1m 1.35m	黑色	10dB
	8mm	10m			12dB
	10mm	8m			14dB

产品规格

厚度	序号	检验项目	检验结果	检验依据
5mm	1.	拉伸强度	0.6MPa	GB 36246-2018.6.4 GB/T 10654-2001 GB 36246-2018 附录E
	2.	拉断伸长率	59%	
	3.	垂直变形	1.0mm	
8mm	1.	拉伸强度	0.6MPa	GB 36246-2018.6.4 GB/T 10654-2001 GB 36246-2018 附录E
	2.	拉断伸长率	62%	
	3.	垂直变形	1.4mm	
10mm	1.	拉伸强度	0.6MPa	GB 36246-2018.6.4 GB/T 10654-2001 GB 36246-2018 附录E
	2.	拉断伸长率	58%	
	3.	垂直变形	1.6mm	

OS700聚氨酯橡胶隔声垫 >>>

OS700聚氨酯橡胶隔声垫,采用橡胶颗粒和聚氨酯粘合剂高温高压定型制作而成。在浮筑楼板构造中,能有效的降低撞击噪声和空气传播噪声。



产品应用 >

- 五星级酒店
- 医院
- 学校
- 工厂
- 高端住宅小区

产品规格 >

品名	厚度	长度	宽度	颜色	空气声隔声量
OS700	5mm	12m	1.1m 1.35m	花色	10dB
	8mm	10m			12dB
	10mm	8m			14dB

产品规格 >

厚度	序号	检验项目	检验结果	检验依据
5mm	1.	拉伸强度	0.6MPa	GB 36246-2018.6.4 GB/T 10654-2001 GB 36246-2018 附录E
	2.	拉断伸长率	59%	
	3.	垂直变形	1.0mm	
8mm	1.	拉伸强度	0.6MPa	GB 36246-2018.6.4 GB/T 10654-2001 GB 36246-2018 附录E
	2.	拉断伸长率	62%	
	3.	垂直变形	1.4mm	
10mm	1.	拉伸强度	0.6MPa	GB 36246-2018.6.4 GB/T 10654-2001 GB 36246-2018 附录E
	2.	拉断伸长率	58%	
	3.	垂直变形	1.4mm	

Color display

颜色



OS-101



OS-102



OS-103



OS-104



OS-106



OS-108




OS-109



OS-201



OS-202



OS-203



OS-601



OS-602



OS-603




OS-604

Color display

颜色



OS-605




OS-606



OS-607



OS-608



OS-609



OS-2001



OS-2002



OS-2003



OS-2004



OS-2005



OS-2006



OS-2007



OS-2008

PROMISE

我们的承诺

我们以尽量满足客户所需和所想为目标，并提供相应的技术服务。
我们始终坚持“客户第一”的原则，
将环保健康的产品带给客户。

We aim to meet the needs and desires of our customers as far as possible and provide corresponding technical services. We stick to the "customer first" principle, Bring green and healthy products to customers.

OSHANG[®]

国际地材展览会现场

THE SITE OF THE INTERNATIONAL FLOORING EXHIBITION



欧尚 让品质赞美生活



