

PROJECT SUPPORT

获取一对一产品选型与技术方案:

GET ONE-TO-ONE PRODUCT SELECTION AND TECHNICAL SUPPORT:

- | | |
|-------------|-------------------------------------|
| • 项目所在地区 | Project location |
| • 使用空间类型 | Type of space |
| • 楼层及基层条件 | Floor level and subfloor conditions |
| • 场地总面积 | Total site area |
| • 主要功能分区 | Primary functional zones |
| • 设备或物体最大负重 | Maximum equipment or object load |

- | | |
|-----------|------------------------------------|
| • 预期使用强度 | Expected intensity of use |
| • 项目预算 | Project budget |
| • 施工及交付时间 | Construction and delivery schedule |
| • 色彩与图案需求 | Colour and graphic requirements |

河北欧尚塑胶制品有限公司

地址：河北省邯郸市魏县经济开发区创业大街5号

咨询热线：

官方网站：

企业微信：

水木熙SHUIMUXI

源头原厂 | 核心专利 | 专业选型 | 全球交付

Hebei Oushang Plastic Products Co., Ltd.

Address: No. 5 Chuangye Avenue, Wei County Economic Development Zone, Handan, Hebei, China

Consultation hotline:

Official website:

WeCom:

SHUIMUXI

SOURCE MANUFACTURER | CORE PATENTS | PROFESSIONAL SELECTION | GLOBAL DELIVERY

SWIMUXI 水木熙

减震 | 静音 | 净味
弹性橡胶专业地面系统

ELASTIC RUBBER
PROFESSIONAL FLOORING SYSTEM

产 / 品 / 手 / 册

Brand
Product Manual

减震 | 静音 | 净味 | 安全 | 耐用 | 易清洁

SYSTEM SOLUTIONS

专业地面
系统解决方案

PROFESSIONAL FLOORING
SYSTEM SOLUTIONS

80+

全球销售国家和地区
COUNTRIES & REGIONS SERVED

5

核心产品系列
CORE PRODUCT SERIES

4

健身房地面系统
FITNESS FLOORING SYSTEMS

15

项自主核心专利
PROPRIETARY CORE PATENTS

从空间需求出发

START WITH THE NEEDS OF THE SPACE

选择适合的
地面产品

CHOOSE THE RIGHT
FLOORING PRODUCT

- 04 / 企业与全球能力

06 / 制造工艺与性能标准

08 / 环保复合橡胶地垫 Tread

10 / PVC优能橡胶地垫 Shield

12 / 力量王橡塑复合地垫 Smooth

14 / 高弹性橡胶卷材

16 / 高端橡塑地板

18 / 健身房四大地面系统

23 / 五星服务体系
- 04 . COMPANY & GLOBAL CAPABILITY

06 . MATERIALS, PROCESS & STANDARDS

08 . TREAD COMPOSITE RUBBER TILE

10 . SHIELD PVC RUBBER TILE

12 . SMOOTH PREMIUM COMPOSITE TILE

14 . ELASTIC RUBBER ROLL

16 . PREMIUM RUBBER FLOORING

18 . FOUR FITNESS FLOORING SYSTEMS

23 . FIVE-STAR SERVICE



从中国制造 到全球地面产品服务商

河北欧尚塑胶制品有限公司位于河北省邯郸市魏县经济开发区, 专注橡塑地板、橡胶地垫、橡胶卷材等地面材料的研发与生产。

旗下水木熙品牌聚焦专业地面材料使用场景, 围绕不同空间的功能要求, 提供从产品选择、颜色定制、规格匹配到铺装指导的整体解决方案。产品广泛服务于运动空间、商业空间、学校、企业、健身场馆及各类工程项目。

企业能力

- 橡塑地面材料研发与生产
- 多规格、多厚度产品供应
- 颜色、纹理及图案定制
- 工程项目产品选型支持
- 国内外批量供货
- 铺装与售后技术服务

核心理念

专业选型: 根据不同空间和使用强度匹配产品。

稳定品质: 从原料、配比到压制成型, 控制产品稳定性。

灵活定制: 支持规格、厚度、色彩、纹理和图案定制。

长期服务: 从样品确认、项目交付到安装养护持续支持。

Hebei Oushang Plastic Products Co., Ltd. is located in the Wei County Economic Development Zone, Handan, Hebei. The company specialises in the research, development and manufacture of rubber composite flooring, rubber tiles, rubber rolls and related flooring materials.

Its SHUIMUXI brand focuses on professional flooring applications. Based on the functional requirements of different spaces, it provides complete solutions covering product selection, colour customisation, specification matching and installation guidance.

Its products are widely used in sports facilities, commercial spaces, schools, corporate premises, fitness centres and a broad range of engineering projects.

CORPORATE CAPABILITIES

Research, development and manufacture of rubber composite flooring materials

Supply in multiple specifications and thicknesses

Custom colours, textures and graphics

Product selection support for engineering projects

Domestic and international volume supply

Installation and after-sales technical service

CORE PRINCIPLES

Professional selection: matching products to each space and level of use.

Consistent quality: controlling product stability from raw materials and formulation through compression moulding.

Flexible customisation: support for custom specifications, thicknesses, colours, textures and graphics.

Long-term service: continuous support from sample approval and project delivery to installation and maintenance.



产品远销
欧洲、美洲、东南亚、中东、大洋洲等
80+国家和地区

GLOBAL CAPABILITY

稳定制造 支持全球项目落地

CONSISTENT MANUFACTURING
SUPPORTING GLOBAL PROJECT DELIVERY

水木熙产品远销欧洲、美洲、东南亚、中东、大洋洲等80多个国家和地区，持续服务国内外运动空间、商业空间及工程项目。

shuimuxiproducts are supplied to more than 80 countries and regions across Europe, the Americas, Southeast Asia, the Middle East and Oceania, serving sports, commercial and engineering projects in China and worldwide.

项目支持能力

- 产品规格沟通
- 颜色与纹理定制
- 样品及色卡寄送
- 批量生产与稳定供货
- 国内外物流配套
- 图纸及铺装技术指导
- 多语言项目资料
- 远程售后服务

从单一产品采购到多区域地面系统配置，水木熙为客户提供更加清晰、稳定和高效的项目支持。

PROJECT SUPPORT CAPABILITIES

- Product specification consultation
- Colour and texture customisation
- Sample and colour-card delivery
- Volume production and reliable supply
- Domestic and international logistics support
- Drawing and installation guidance
- Multilingual project documentation
- Remote after-sales service

From single-product purchasing to multi-zone flooring system configuration, SHUIMUXI provides clear, dependable and efficient project support.

MATERIAL PROCESS

减震 | 静音 | 净味


Shock Absorption | Silent Operation | Odor Control

减震 | 柔缓冲 护受力

核心结构: 采用 SBR 弹性基层, 颗粒间形成柔性缓冲结构, 可吸收≥85%的冲击力道。
场景体验: 跑跳、器械碰撞产生冲击时, 通过结构形变快速吸收并分散力道, 既能保护地面不被损伤, 也能缓冲关节受力, 提升运动舒适度。

Shock Absorption | Soft Cushioning for Impact Protection

Core Structure: Features an SBR elastic base layer, with a flexible cushioning structure formed between particles that absorbs ≥85% of impact force.
Experience in Use: During running, jumping, or equipment impacts, the material quickly absorbs and disperses force through structural deformation, protecting both the floor surface from damage and reducing joint stress, thereby enhancing comfort during physical activity.



静音 | 降传声 少干扰

降噪效果: 弹性颗粒搭配科学厚度, 有效阻断冲击传声, 实测铺设20mm厚水木熙地垫后运动噪音分贝降低≥25dB。
场景体验: 健身房铺设后, 楼下美术班仅能听见素描铅笔的沙沙声, 芭蕾舞培训场地也只传来轻柔的背景音乐, 上下空间互不干扰。

Silent | Reduced Sound Transmission | Less Disturbance

Noise reduction effect: The elastic particles combined with the scientific thickness effectively block the transmission of impact sound. After installing the 20mm thick water and wood synthetic floor mat, the measured noise level of the movement decreased by ≥ 25 dB.
Scene experience: After the gym was laid out, the art class downstairs could only hear the rustling sound of the sketch pencils, and the ballet training venue only received soft background music, with no interference between the upper and lower spaces.



净味 | 低挥发 更安心

环保标准: 甄选出口级环保原料, VOC释放量远低于国标限值, 甲醛释放量≤0.03mg/m³ (优于国标 E0级标准), 从源头杜绝刺鼻异味。
场景体验: 即便在密闭空间, 躺在地垫上也能感受到清新气息, 仿佛置身自然, 呼吸更安心。

Freshening scent | Low volatility | More peace of mind

Environmental protection standards: Select export-grade environmentally friendly raw materials. The VOC emission is far lower than the national standard limit. The formaldehyde emission is ≤ 0.03mg/m³ (better than the national E0 standard), eliminating the unpleasant odor at the source.
Scene experience: Even in a closed space, lying on the mat, one can feel the fresh air, as if in nature, and breathing is more reassuring.



CERTIFICATIONS

强认证 更可靠

Strong authentication More reliable



权威认证: 拥有 ISO三大体系、国家级绿色相关认证, 同时通过欧盟 CE、FloorScore A+等国际合规认证。
技术实力: 搭配15项自主专利, 品质经过多重权威背书, 使用更可靠。

Strong Authentication: More reliable and authoritative certification: Possesses the ISO three major systems, national-level green-related certifications, and has also passed international compliance certifications such as EU CE and FloorScore A+.
Technical Strength: Equipped with 15 independent patents, the quality has received multiple authoritative endorsements, making it more reliable to use.

五大体系认证

- ISO9001质量管理体系认证
- ISO14001环境管理体系认证
- ISO45001职业健康安全管理体系认证
- 国家级绿色供应链管理体系认证
- 国家级绿色工厂认证

Five major system certifications

- ISO9001 Quality Management System Certification
- ISO14001 Environmental Management System Certification
- ISO45001 Occupational Health and Safety Management System Certification
- National-level Green Supply Chain Management System Certification
- National-level Green Factory Certification

国际合规认证: 满足不同国家和地区对室内地面材料的准入要求。

- 欧盟CE建材认证
- REACH有害物质管控
- RoHS认证
- FloorScoreA+低VOC
- EN阻燃分级检测

15项自主核心专利
14项实用新型专利+1项外观设计专利

International compliance certification: Meeting the entry requirements for indoor flooring materials in different countries and regions.
• EU CE building materials certification
• REACH hazardous substance control
• RoHS certification
• FloorScore A+ low VOC
• EN flame retardancy grading test
15 independent core patents
14 utility model patents + 1 design patent



环保复合 橡胶地垫Tread

TREAD ECO COMPOSITE RUBBER TILE

厚实缓冲, 降低落地冲击

产品采用耐磨表层与SBR弹性颗粒基层复合结构, 通过合理厚度吸收并分散落地冲击, 减少设备、重物 and 人员活动对原生地面的直接影响。

产品规格

尺寸:500×500mm / 1000×1000mm

厚度:10-50mm

SUBSTANTIAL CUSHIONING TO REDUCE LANDING IMPACT

A composite structure combines a wear-resistant surface with a resilient SBR granule base. Its engineered thickness absorbs and disperses landing impact, reducing direct stress on the original floor from equipment, heavy objects and user activity.

PRODUCT SPECIFICATIONS

SIZE:500 × 500 mm / 1000 × 1000 mm

THICKNESS:10-50 mm

ECO-FRIENDLY COMPOSITE RUBBER TILE

安装方式

20mm及以上产品采用暗扣免胶干铺, 拆装方便, 局部损坏可单片更换。

推荐厚度

- 常规设备及有氧区域: 20mm
- 楼上综合运动及力量区域: 25mm
- 大重量、高冲击区域: 30-50mm

INSTALLATION

Products 20 mm and thicker use a concealed interlocking, adhesive-free dry installation. They are easy to dismantle, and individual damaged tiles can be replaced.

RECOMMENDED THICKNESS

Standard equipment and cardio zones: 20 mm

Upper-floor mixed training and strength zones: 25 mm

Heavy-weight and high-impact zones: 30-50 mm

核心优势

- 吸收和分散落地冲击
- 降低撞击声和结构震动
- 减少设备与基层硬性碰撞
- 保护原生地面
- 暗扣快装, 方便维护
- 支持色彩颗粒定制

CORE BENEFITS

Absorbs and disperses landing impact

Reduces impact noise and structural vibration

Reduces hard contact between equipment and the subfloor

Protects the original floor

Concealed interlocking installation for easy maintenance

Supports custom coloured granules

色彩与颗粒选择



COLOUR AND GRANULE SELECTION

兼顾耐用与空间表达

可通过不同底色、彩点颜色和彩点比例, 形成不同视觉效果。

BALANCING DURABILITY WITH SPATIAL EXPRESSION

Different base colours, fleck colours and fleck ratios create a wide variety of visual effects.



经典系列

以黑色、深灰和中灰为主, 耐脏稳重, 适合高频使用区域及大面积铺设。

CLASSIC NEUTRALS

Black, dark grey and mid-grey are practical, stain-concealing colours for high-use zones and large-area installation.

明亮系列

在深色基底中加入蓝色、黄色、橙色、绿色等彩点, 增强运动感与空间活力。

BRIGHT FLECK COLLECTION

Blue, yellow, orange, green and other flecks added to a dark base create greater energy and movement.

简约系列

彩点比例较低, 视觉更加克制, 适合商业空间、企业空间和简约风格项目。

MINIMAL LOW-FLECK COLLECTION

A lower fleck ratio creates a more restrained appearance for commercial, corporate and minimalist projects.

推荐组合示例

- 深灰底+蓝色彩点: 理性、专业
- 黑色底+橙色彩点: 活力、醒目
- 灰色底+绿色彩点: 自然、舒适
- 黑灰双色拼接: 强化功能分区
- 主色+辅助色: 适合品牌连锁项目

(页面色彩仅作为选型示例, 具体颜色以实物样品和最终确认色卡为准。)

RECOMMENDED COMBINATIONS

Dark grey base + blue flecks: rational and professional


Black base + orange flecks: energetic and distinctive

Grey base + green flecks: natural and comfortable

Black and grey combination: reinforces functional zoning

Primary + supporting brand colours: suitable for chain projects

Colours shown are selection references only. Final colours are subject to approved physical samples and colour cards.



自然系列

增加EPDM彩点比例, 提升地面色彩层次, 可用于入口、形象区和重点功能区域。

HIGH-FLECK VISUAL COLLECTION

A higher proportion of EPDM flecks adds colour depth and is suitable for entrances, brand zones and key functional areas.



品牌定制系列

根据项目VI选择主色、辅助色和点缀色, 用地面颜色完成区域识别与空间统一。

BRAND CUSTOM COLLECTION

Primary, supporting and accent colours can be selected from the project VI to reinforce zoning and visual consistency through the floor.



PVC优能橡胶地垫Shield

SHIELD PVC RUBBER COMPOSITE TILE

色彩丰富, 缓冲与支撑兼顾

采用高密度多层复合结构, 将耐磨面层与弹性基层结合, 在吸收冲击的同时, 保持良好的站立和发力稳定性。适合家庭运动空间、女性运动空间、综合训练区域及对色彩表现要求较高的项目。

产品规格

尺寸 : 500×500mm / 1000×1000mm

安装方式:20mm以上采用免胶暗扣铺装。

RICH COLOUR WITH BALANCED CUSHIONING AND SUPPORT
A high-density multilayer composite combines a wear-resistant surface with a resilient base, absorbing impact while maintaining stable footing and force transfer. It is suitable for home gyms, women-focused fitness spaces, mixed training zones and projects requiring strong colour expression.

PRODUCT SPECIFICATIONS
SIZE:500 × 500 mm / 1000 × 1000 mm

INSTALLATION
Products thicker than 20 mm use adhesive-free concealed interlocking installation.

PVC RUBBER COMPOSITE TILE

推荐厚度

- 家庭运动及小型器械区: 20mm
- 常规综合训练区: 25-30mm

适配场景

- 家庭运动空间
- 女性运动及轻力量区域
- 自由重量区
- 哑铃区
- 深蹲硬拉区

核心优势

- 多层结构分散单点冲击
- 缓冲性能与支撑稳定兼顾
- 多种亮丽颜色可选
- 暗扣铺装, 安装便捷
- 局部损坏可单片维护
- 适合多区域组合使用

RECOMMENDED THICKNESS

Home exercise and light-equipment zones: 20 mm
Standard mixed training zones: 25-30 mm

SUITABLE APPLICATIONS

Home fitness spaces
Women-focused fitness and light-strength zones
Free-weight zones Dumbbell zones
Squat and deadlift zones

CORE BENEFITS

Multilayer structure disperses point impact
Balances cushioning with stable support
Available in a wide range of bright colours
Easy concealed interlocking installation
Individual damaged tiles can be maintained or replaced
Suitable for combined use across multiple zones

多样木纹面层选择

MULTICOLOUR SURFACE OPTIONS

面层以自然木纹、灰色及低饱和暖色为主, 色彩沉稳耐看。既可以大面积铺设, 营造统一舒适的空间氛围, 也可以通过不同纹理与色调组合, 完成区域划分和视觉点缀。

MORE EXPRESSIVE FUNCTIONAL FLOORING

A richer, brighter surface palette can be used as the primary floor colour, for functional zoning or as focused accents.



自然浅木系列

包含浅橡木、原木色、暖黄色木纹等, 纹理清晰自然, 整体明亮温和, 适合家庭健身、瑜伽、康体及轻运动空间。

Natural Light Wood Series

Featuring light oak, natural wood tone, and warm yellow wood grain, this series offers clear, natural textures with an overall bright and gentle appearance, ideal for home fitness, yoga, wellness, and light exercise spaces.



沉稳深木系列

包含胡桃木、红棕木、深咖木纹等, 色泽浓郁、质感稳重, 适合、会所、私教馆及高端商业空间。

Steady Dark Wood Series

Includes walnut wood, red-brown wood, dark coffee wood patterns, etc. The color is rich and the texture is stable. It is suitable for clubs, private training centers, high-end commercial spaces, etc.

搭配示例

- 浅灰+木纹: 轻盈、自然
- 中灰+蓝色: 清晰、专业
- 深灰+橙色: 稳重、有活力
- 米白+木纹: 温和、舒适
- 品牌主色+中性底色: 强化品牌识别

(页面色彩仅作为选型示例, 具体颜色以实物样品和最终确认色卡为准。)



简约灰调系列

包含浅灰、中灰、深灰及灰木纹等中性色调, 视觉简洁克制, 能够与白色、黑色、金属及水泥质感空间自然搭配。

Simple Grey Tone Series

Includes light grey, medium grey, dark grey, and grey wood grain among other neutral tones. The design is visually simple and restrained, and can seamlessly blend with white, black, metallic, and cement-toned spaces.

COMBINATION EXAMPLES

Light grey + woodgrain: light and natural
Mid-grey + blue: clear and professional
Dark grey + orange: composed and energetic
Off-white + woodgrain: warm and comfortable
Primary brand colour + neutral base: strengthens brand recognition

Colours shown are selection references only. Final colours are subject to approved physical samples and colour cards.



柔和低饱和色系列

烟灰、灰棕、暖褐等低饱和色彩, 兼具柔和感与设计感, 适合女性健身、普拉提、瑜伽及休闲康体空间。

Soft and low-saturation color series

Low-saturation colors such as smoky gray, gray-brown, and warm brown, which combine a sense of softness with design appeal, are suitable for women's fitness, Pilates, yoga, and leisure and wellness spaces.



力量王橡塑复合地垫Smooth

SMOOTH HEAVY-DUTY RUBBER COMPOSITE TILE

PREMIUM RUBBER-PLASTIC COMPOSITE TILE

耐磨升级，应对更高强度使用

Smooth在复合橡胶地垫结构基础上，对面层材料进行升级。

产品上层采用橡塑地板面层，底层采用SBR弹性颗粒，通过耐磨面层与弹性基层的组合，提高产品的耐磨、抗震和日常清洁表现。

适合重视产品性能、空间质感与长期使用稳定性的项目。

ENHANCED WEAR RESISTANCE FOR HIGHER-INTENSITY USE

Smooth upgrades the surface material of the composite rubber tile structure.

A dense rubber-composite flooring surface is bonded to a resilient SBR granule base. This combination improves wear resistance, impact control, routine cleaning and long-term dimensional stability.

Suitable for projects that prioritise product performance, interior quality and long-term stability.

产品规格

尺寸:500×500mm / 1000×1000mm

厚度:20-50mm

安装方式:暗扣免胶铺装。

产品特点

- 橡塑面层更加致密耐磨
- SBR基层吸收和分散冲击
- 表面平整, 清洁维护方便
- 面层颜色超过50种
- 支持项目定制颜色

PRODUCT SPECIFICATIONS

SIZE:500 × 500 mm / 1000 × 1000 mm

THICKNESS:20-50 mm

INSTALLATION:Adhesive-free concealed interlocking installation.

PRODUCT FEATURES

Dense rubber-composite surface for improved wear resistance

SBR base absorbs and disperses impact

Smooth surface for easy cleaning and maintenance

More than 50 surface colours

Supports project-specific colour customisation

适配空间

- 高端运动空间
- 自由力量及器械区域
- 综合训练区域
- 高频商业使用区域
- 对地面质感要求较高的项目
- 需要品牌色定制的连锁项目

SUITABLE SPACES

Premium sports facilities

Free-weight and equipment zones

Mixed training zones

High-traffic commercial areas

Projects with high requirements for flooring appearance

Chain projects requiring custom brand colours

50+面层颜色 满足不同空间设计需求

50+ surface colors Meeting the design requirements of various spaces

Smooth面层拥有丰富的颜色选择，可与墙面、设备、灯光及品牌视觉进行整体搭配。

The Smooth surface layer offers a wide range of color options, which can be seamlessly integrated with the walls, equipment, lighting and brand visuals for an overall harmonious look.




基础中性色

黑色、深灰、中灰、浅灰等常用颜色，适合大面积铺装。

CORE NEUTRALS

Black, dark grey, mid-grey and light grey for large-area installation.



高端深色系

深蓝、墨绿、深咖等颜色，提升空间沉稳感和品质感。

PREMIUM DARKS

Deep blue, dark green and deep brown create a composed, premium atmosphere.



活力点缀色

橙色、黄色、蓝色、红色等颜色，可用于重点区域和功能分区。

ENERGY ACCENTS

Orange, yellow, blue and red can highlight key zones and functional divisions.

推荐搭配

- 深灰主色+品牌蓝
- 黑色主色+活力橙
- 中灰主色+绿色点缀
- 深蓝主色+浅灰辅助
- 同色系深浅组合

(页面色彩仅作为选型示例，具体颜色以实物样品和最终确认色卡为准。)



柔和空间色

米灰、浅咖、低饱和绿色等色彩，适合注重舒适感与整体氛围的空间。

SOFT INTERIOR COLOURS

Warm grey, light brown and low-saturation green suit spaces focused on comfort and atmosphere.

RECOMMENDED COMBINATIONS

Dark grey primary + brand blue
Black primary + energetic orange
Mid-grey primary + green accent
Deep blue primary + light grey support
Tonal combinations of lighter and darker shades

Colours shown are selection references only. Final colours are subject to approved physical samples and colour cards.



品牌定制色

根据品牌VI和项目效果图，选择相近颜色或进行项目定制。

CUSTOM BRAND COLOURS

Colours can be matched or customised according to the brand VI and project visualisations.



高弹性橡胶卷材

HIGH-RESILIENCE RUBBER ROLL

连续铺装, 舒适稳定

适用于重视整体美观、舒适脚感和清洁维护的空间。EPDM颗粒表层具有良好的防滑和耐磨表现, 适度弹性能够缓解久站疲劳, 同时保持动作和设备使用所需的稳定支撑。

产品参数

基础幅宽: 1m / 1.25m

标准卷长: 20m, 可根据项目需求裁切。

CONTINUOUS INSTALLATION WITH COMFORTABLE, STABLE SUPPORT

Designed for spaces that value visual continuity, underfoot comfort and easy maintenance. The EPDM granule surface provides slip resistance and wear performance, while moderate resilience reduces standing fatigue without compromising the support needed for movement and equipment use.

PRODUCT PARAMETERS

STANDARD WIDTH: 1 m / 1.25 m

STANDARD ROLL LENGTH

20 m, with project-specific cutting available.

HIGH-ELASTICITY RUBBER ROLL

核心优势

- 连续铺装, 空间视觉完整
- 拼接缝隙少
- 表层防滑耐磨
- 脚感舒适, 不易过度下陷
- 日常清洁维护方便
- 支持不同彩点和视觉效果

适配空间

- 私教及轻运动空间
- 瑜伽、普拉提和拉伸区域
- 康体与恢复空间
- 轻有氧设备区域
- 学校及企业活动空间
- 商业公共活动区域

CORE BENEFITS

Continuous installation for a complete visual effect

Fewer seams

Slip-resistant, wear-resistant surface

Comfortable underfoot without excessive sinking

Easy routine cleaning and maintenance

Supports different fleck colours and visual effects

SUITABLE SPACES

Personal training and light-exercise spaces

Yoga, Pilates and stretching zones

Wellness and recovery spaces

Light-cardio equipment zones

School and corporate activity spaces

Commercial public activity areas

不同色彩图案 呈现不同空间质感

DIFFERENT COLOURS AND PATTERNS FOR
DISTINCT SPATIAL CHARACTER

高弹性橡胶卷材可通过基底颜色、EPDM彩点颜色和彩点含量, 形成丰富的视觉层次。

High-resilience rubber rolls achieve rich visual depth through different base colours, EPDM fleck colours and fleck contents.

推荐空间搭配

- 浅灰细彩点: 明亮、简洁
- 深灰蓝彩点: 稳重、专业
- 米色暖彩点: 舒适、柔和
- 黑底多彩点: 活力、耐脏
- 同色系彩点: 统一、高级

RECOMMENDED INTERIOR COMBINATIONS

Light grey with fine flecks: bright and clean

Dark grey with blue flecks: composed and professional

Beige with warm flecks: comfortable and soft

Black base with multicolour flecks: energetic and practical

Tonal flecks: unified and refined

选色提示

浅色能够增强空间通透感, 深色更耐脏; 彩点比例越高, 视觉表现越丰富, 项目预算和产品密度也需同步考虑。

COLOUR-SELECTION NOTE

Light colours increase the sense of openness, while dark colours conceal dirt more effectively. A higher fleck ratio creates richer visuals, while project budget and product density should also be considered.



经典系列

以黑色、深灰和中灰等基础色为主, 颗粒均匀、整体感强, 视觉稳重耐看, 兼顾耐脏性与实用性, 适合高频使用区域及大面积连续铺装。

FINE-FLECK COLLECTION

Dense, fine flecks create a unified appearance for large continuous areas.



臻彩系列

在基础底色中融入蓝色、绿色、红色、橙棕色等彩色颗粒, 色彩层次更加丰富, 在保持专业感的同时增强空间活力, 适合运动区域、功能分区及品牌化空间。

COARSE-FLECK COLLECTION

More visible granules create stronger material expression in spaces where texture is emphasised.



EPDM臻选系列

以EPDM彩色颗粒构成主要面层, 色泽饱满、颗粒质感鲜明, 具有更强的视觉表现力与空间识别度, 适合入口、形象区、团课区及重点展示区域。

LOW-FLECK COLLECTION

A clean, uniform appearance for commercial, office and minimalist interiors.



HIGH-FLECK COLLECTION

Richer colour depth increases energy and visual recognition.





橡塑地板

PREMIUM RUBBER FLOORING

PREMIUM RUBBER-PLASTIC FLOORING

让地面成为空间设计的一部分

橡塑地板适用于注重空间质感、视觉设计和日常清洁维护的项目。

产品表层致密细腻, 可根据空间定位选择不同颜色与表面纹理, 在满足防滑、耐磨和弹性要求的同时, 承担空间设计和功能分区作用。

MAKE THE FLOOR PART OF THE INTERIOR DESIGN
Rubber flooring is designed for projects that value interior quality, visual design and easy routine maintenance.
Its dense, refined surface is available in different colours and textures to suit the design concept. It combines slip resistance, wear performance and appropriate resilience with visual design and functional zoning.

产品参数

基础幅宽:2m 标准卷长:20m

定制方式

- 全色系颜色选择
- 局部功能分区
- 品牌LOGO定制
- 图案与导向标识定制
- 多区域拼色设计

核心优势

- 表层致密, 清洁简单
- 多种纹理满足不同空间风格
- 弹性适中, 支撑稳定
- 连续铺装, 整体感强
- 支持品牌视觉和图案定制
- 兼顾实用功能与空间美感

PRODUCT PARAMETERS
standard width:2 m standard roll length:20 m
CUSTOMISATION OPTIONS
Full-spectrum colour selection
Local functional zoning
Custom brand logos
Custom graphics and wayfinding
Multi-zone colour combinations

CORE BENEFITS
Dense surface for easy cleaning
Multiple textures for different interior styles
Moderate resilience with stable support
Continuous installation for a unified appearance
Supports custom brand visuals and graphics
Balances practical performance with spatial aesthetics

色彩、纹理与图案

COLOURS, TEXTURES AND GRAPHICS


构建完整空间视觉

BUILDING A COMPLETE SPATIAL IDENTITY

搭配示例

- 岩石纹+深灰: 沉稳、专业
- 哑光浅灰+品牌色: 简洁、现代
- 仿真石纹+暖色空间: 自然、高级
- 深浅同色系拼接: 强化层次
- LOGO+功能分区: 提升空间识别

COMBINATION EXAMPLES
Rock texture + deep grey: composed and professional
Matte light grey + brand colour: clean and modern
Simulated stone + warm interior: natural and premium
Tonal light-and-dark combination: strengthens depth
Logo + functional zoning: improves spatial recognition



锤击纹

表面具有细微凹凸变化, 增强材料质感和防滑表现, 适合公共活动区域。

HAMMERED TEXTURE
Subtle surface relief improves material expression and slip resistance for public activity areas.



平面哑光

简洁克制, 减少强光反射, 适合现代、极简和品牌展示空间。

ROCK TEXTURE
Natural and composed, suitable for commercial spaces, premium projects and large public areas.



平面撒花

在哑光的基础上, 增加颜色和颗粒元素的组合变化。

MATTE SURFACE
Clean and restrained with reduced glare, suitable for modern, minimalist and brand-display spaces.



岩石纹

呈现石材视觉效果, 同时保留橡塑地面的弹性和舒适脚感。

SIMULATED STONE
Provides the appearance of stone while retaining the resilience and underfoot comfort of rubber flooring.



图案定制

支持LOGO、功能文字、导向标识、区域边界和装饰图案设计。

CUSTOM GRAPHICS
Supports logos, functional text, wayfinding, zone boundaries and decorative graphics.

健身房 四大地面 系统

从单一产品到完整空间配置

水木熙根据不同项目的使用需求, 将五款产品组合成四类针对健身房的地面系统。

楼上静音系统

核心需求

减少撞击声和震动向相邻空间及楼下传递。

适用项目

楼上商业空间、写字楼、商场、社区空间及高层运动项目。

铁馆重载系统

核心需求

分散重物冲击, 保护楼板、基层和设备。

适用项目

高强度训练、自由力量、大重量设备及高冲击使用区域。

私教瑜伽系统

核心需求

舒适脚感、稳定支撑、整体美观和便捷清洁。

适用项目

瑜伽、普拉提、私教、拉伸恢复及轻运动空间。

快装标准系统

核心需求

经济快装、标准配置、预算可控、快速复制。

适用项目

连锁门店、批量项目、自助空间、加盟项目及海外集采。

FROM INDIVIDUAL PRODUCTS TO COMPLETE SPATIAL CONFIGURATION

SHUIMUXI combines five product families into four flooring systems based on the requirements of different fitness projects.

UPPER-FLOOR ACOUSTIC SYSTEM

CORE REQUIREMENT

Reduce the transmission of impact noise and vibration to adjacent spaces and lower floors.

SUITABLE PROJECTS

Upper-floor commercial spaces, office buildings, shopping centres, community facilities and high-rise sports projects.

HEAVY-DUTY STRENGTH SYSTEM

CORE REQUIREMENT

Disperse heavy impact and protect the slab, subfloor and equipment.

SUITABLE PROJECTS

High-intensity training, free-weight zones, heavy equipment and high-impact areas.

PERSONAL TRAINING AND YOGA SYSTEM

CORE REQUIREMENT

Comfortable underfoot feel, stable support, visual continuity and easy cleaning.

SUITABLE PROJECTS

Yoga, Pilates, personal training, stretching, recovery and light-exercise spaces.

FAST-INSTALL STANDARD SYSTEM

CORE REQUIREMENT

Economical fast installation, standard configuration, controlled budgets and rapid replication.

SUITABLE PROJECTS

Chain outlets, volume projects, self-service gyms, franchise projects and overseas central procurement.



楼上静音系统

降低冲击, 减少声音与震动传递

楼上空间面临的主要问题, 不只是地面是否耐用, 还包括重物落地、设备运行和人员活动产生的撞击声及结构震动。

水木熙根据楼板结构、使用区域和冲击强度, 选择不同厚度的弹性地面产品, 降低冲击对基层的直接作用。

推荐产品

- 环保复合橡胶地垫 Tread
- PVC 优能橡胶地垫 Shield
- 力量王橡塑复合地垫 Smooth

分区建议

公共区域: 建议配置 3mm 厚耐磨防滑地胶卷材;

有氧器械区: 建议配置 2.0-2.5cm 复合地垫;

力量区: 建议配置 3.0cm 复合地垫;

大重量、高冲击区域: 建议配置 4.0cm 或 5.0cm 复合地垫;

团课私教区域: 建议配置 6-8mm 耐磨防滑地胶;

系统价值

- 吸收和分散落地冲击
- 降低撞击声向楼下传递
- 减弱建筑结构震动
- 保护楼板和原生基层
- 减少设备与地面硬碰
- 支持局部维护和更换

实际方案需结合原生楼板、设备重量、使用频率及建筑环境综合确定。

UPPER-FLOOR ACOUSTIC SYSTEM

REDUCING IMPACT, NOISE AND VIBRATION TRANSMISSION

Upper-floor spaces face more than durability concerns. Dropped weights, operating equipment and user activity also generate impact noise and structural vibration. SHUIMUXI selects resilient flooring products in appropriate thicknesses according to slab structure, use zone and impact intensity, reducing direct impact on the subfloor.

RECOMMENDED PRODUCTS

Tread Eco Composite Rubber Tile

Shield PVC Rubber Composite Tile

Smooth Heavy-Duty Rubber Composite Tile

ZONING RECOMMENDATIONS

Public areas: 3 mm wear-resistant, slip-resistant resilient roll flooring is recommended.

Cardio equipment zones: 20-25 mm composite tiles are recommended.

Strength zones: 30 mm composite tiles are recommended.

Heavy-weight and high-impact zones: 40 mm or 50 mm composite tiles are recommended.

Group exercise and personal training zones: 6-8 mm wear-resistant, slip-resistant resilient flooring is recommended.

SYSTEM VALUE

Absorbs and disperses landing impact

Reduces the transmission of impact noise to lower floors

Reduces vibration through the building structure

Protects the slab and original subfloor

Reduces hard contact between equipment and flooring

Supports local maintenance and replacement

The final solution must be determined according to the original slab, equipment weight, frequency of use and building conditions.



私教瑜伽系统

舒适脚感与空间美感兼顾

轻运动、瑜伽、普拉提、拉伸与康体空间，对地面的要求更加综合。

地面既要具备适度弹性，缓解久站和运动疲劳，也要保持稳定支撑，避免过度下陷影响动作。同时，还需要满足空间美观、防滑和日常清洁要求。

推荐产品

- 高弹性橡胶卷材
- 装饰橡塑地板

系统价值

- 脚感舒适，不易过度下陷
- 防滑稳定，支持多种动作
- 连续铺装，空间完整
- 色彩纹理选择丰富
- 日常清洁维护方便
- 可结合品牌视觉进行定制

PERSONAL TRAINING AND YOGA SYSTEM

BALANCING UNDERFOOT COMFORT WITH SPATIAL AESTHETICS

Light exercise, yoga, Pilates, stretching and wellness spaces place more integrated demands on the floor.

The floor needs moderate resilience to reduce standing and exercise fatigue while maintaining stable support and avoiding excessive sinking. It must also satisfy requirements for appearance, slip resistance and routine cleaning.

RECOMMENDED PRODUCTS

High-Resilience Rubber Roll
Decorative Rubber Flooring

SYSTEM VALUE

Comfortable underfoot without excessive sinking
Stable slip resistance for a wide range of movements
Continuous installation for a complete space
Rich colour and texture options
Easy routine cleaning and maintenance
Can be customised to coordinate with brand identity

铁馆重载系统

面向高冲击与长期重压区域

大重量设备、杠铃和器械反复落地，会形成集中冲击和长期单点荷载。铁馆重载系统通过耐磨面层、弹性颗粒基层和匹配厚度，将局部作用力分散到更大范围，降低楼板、基层和设备受到的硬性冲击。

推荐产品

- PVC优能橡胶地垫Shield
- 力量王橡塑复合地垫Smooth
- 环保复合橡胶地垫Tread

区域配置

公共区域：建议配置3mm厚耐磨防滑地胶卷材；

有氧器械区：建议配置2cm复合地垫；

常规力量区、自由力量区：建议配置3.0cm复合地垫；

大重量及高冲击区：建议配置4.0cm复合地垫；

特殊重载项目：建议配置5.0cm复合地垫，并根据器械重量、落地高度和使用频率专项选型。

系统价值

- 分散重物集中冲击
- 长期重压不易局部快速塌陷
- 保护楼板及原生地面
- 减少设备硬碰产生的噪声
- 保持站立与发力稳定
- 局部破损可独立更换

HEAVY-DUTY STRENGTH SYSTEM

FOR HIGH-IMPACT AREAS UNDER SUSTAINED HEAVY LOADS

Repeated dropping of heavy equipment, barbells and weights creates concentrated impact and long-term point loads.

The heavy-duty strength system combines a wear-resistant surface, resilient granule base and appropriate thickness to distribute localised force across a larger area, reducing hard impact on the slab, subfloor and equipment.

RECOMMENDED PRODUCTS

Shield PVC Rubber Composite Tile
Smooth Heavy-Duty Rubber Composite Tile
Tread Eco Composite Rubber Tile

ZONE CONFIGURATION

Public areas: 3 mm wear-resistant, slip-resistant resilient roll flooring is recommended.

Cardio equipment zones: 20 mm composite tiles are recommended.


Standard strength and free-weight zones: 30 mm composite tiles are recommended.

Heavy-weight and high-impact zones: 40 mm composite tiles are recommended.

Special heavy-duty projects: 50 mm composite tiles are recommended, with project-specific selection based on equipment weight, drop height and frequency of use.

SYSTEM VALUE

Disperses concentrated impact from heavy objects
Resists rapid local collapse under sustained heavy loads
Protects the slab and original floor
Reduces noise caused by hard equipment contact
Maintains stable footing and force transfer
Individual damaged tiles can be replaced





快装标准系统

控预算、短工期、易复制

快装标准系统面向连锁门店、批量工程、自助空间、加盟项目和海外集采项目。

通过标准化产品配置、分区铺装方案和施工节点，减少前期沟通和现场施工难度，让不同项目保持统一品质与视觉。

常规器械及通行区域：

建议配置3mm-5mm标准卷材，兼顾使用需求与整体成本。

力量训练区域：

建议配置20/25mm复合地垫，方便搬运、快速安装，后期局部损坏可单独更换。

重点形象区域：

统一主色、分区色和标识位置，用有限定制形成清晰的连锁品牌识别。

交付标准包：

产品清单、排版图、节点说明、铺装指引、损耗规则和维护手册一次配齐。

把复杂选型变成标准执行：

统一产品 | 统一厚度 | 统一配色 | 统一铺装 | 统一验收

实用价值：

预算更可控 | 报价更快速 | 施工更简单 | 交付更稳定 | 维护更方便 | 多店复制更省心

适用场景：

经济型连锁健身房 | 24小时健身连锁 | 加盟健身门店 | 连锁私教馆 | 多门店项目 | 标准化工程采购

FAST-INSTALL STANDARD SYSTEM

CONTROLLED BUDGETS, SHORT LEAD TIMES AND EASY REPLICATION

The fast-install standard system is designed for chain outlets, volume projects, self-service gyms, franchise projects and overseas central procurement.

Standardised product configurations, zoning plans and construction details reduce early-stage communication and on-site complexity while maintaining consistent quality and visual identity across projects.

Standard equipment and circulation zones: 3-5 mm standard roll flooring is recommended to balance performance and overall cost.

Strength training zones: 20/25 mm composite tiles are recommended for easy handling, fast installation and individual replacement after local damage.

Key image zones: standardise primary colours, zoning colours and signage positions to create clear chain-brand recognition with limited customisation.

Standard delivery package: product list, layout drawings, detail notes, installation guide, wastage rules and maintenance manual supplied together.

Turn complex selection into standard execution: unified products | unified thicknesses | unified colours | unified installation | unified acceptance

PRACTICAL VALUE

More predictable budgets | faster quotations | simpler construction | more reliable delivery | easier maintenance | more efficient multi-site replication

SUITABLE APPLICATIONS

Value-focused gym chains | 24-hour gym chains | franchise gyms | personal training chains | multi-site projects | standardised engineering procurement

五星 服务体系

从产品选择到长期使用

01-系统选得准

结合楼层条件、场地面积、使用分区、设备重量和项目预算，匹配对应产品、厚度及组合系统。

02-实物看得见

下单前提供产品样品、色卡、检测资料及相关测试视频。

定制项目可先进行样品确认，再安排批量生产。

03-报价报得清

按照产品、面积、区域和项目需求分项报价，明确产品费用、损耗、物流及相关技术服务内容。

04-铺装装得稳

提供基层处理要求、产品排版、铺装节点、收边方案及安装指导。

国内外项目可提供图文、视频及远程技术支持。

05-长期管得住

配套标准化清洁养护手册，提供项目回访、使用指导和局部破损处理建议。

FROM PRODUCT SELECTION TO LONG-TERM USE

01 ACCURATE SYSTEM SELECTION

Products, thicknesses and combined systems are matched to floor conditions, site area, functional zones, equipment weight and project budget.

02 PHYSICAL SAMPLES YOU CAN SEE

Product samples, colour cards, test documents and relevant test videos are provided before ordering.

For custom projects, samples can be approved before volume production begins.

03 CLEAR, ITEMISED QUOTATIONS

Quotations are itemised by product, area, zone and project requirement, clearly identifying product costs, wastage, logistics and related technical services.

04 RELIABLE INSTALLATION

Requirements for subfloor preparation, product layout, installation details, edge finishing and installation guidance are provided.

Domestic and international projects can receive illustrated, video and remote technical support.

05 LONG-TERM SUPPORT

Standardised cleaning and maintenance manuals, project follow-up, usage guidance and recommendations for local damage repair are provided.